



Parada Plus

ELECTRIC RADIATOR

Sleek, Minimal, Modern

Parada Plus, the refined evolution of our sleek electric radiator. With its flat steel front, the Parada Plus retains its minimalist appeal while incorporating an enhanced backlit screen, cutting-edge Zigbee 3.0 smart home capabilities, and seamless integration with Unisenza+ app, Google Home, and Amazon Alexa via the Unisenza+ Smart Gateway.

Experience the perfect balance of radiant and convection heat, designed for freezing Scandinavian winters, in a contemporary and elegant package.

H300 RADIATORS



300mm high panels are low and long - perfect for placing along hallways or under windows and countertops

MODEL	SKU	WATTS	AMPS	HEIGHT (MM)	LENGTH (MM)	WEIGHT (KG)
500W / H300 x L500 / Double	FE4210300501A4U0	500	2.2	300	500	13.3
500W / H300 x L800 / Single	FE4110300801A4U0	500	2.2	300	800	13.4
750W / H300 x L800 / Double	FE4210300801A4U0	750	3.3	300	800	18.9
1000W / H300 x L1000 / Double	FE4210301001A4U0	1000	4.3	300	1000	23.0
1250W / H300 x L1300 / Double	FE4210301301A4U0	1250	5.4	300	1300	29.8
1500W / H300 x L1600 / Double	FE4210301601A4U0	1500	6.5	300	1600	35.6
2000W / H300 x L2000 / Double	FE4210302001A4U0	2000	8.7	300	2000	43.6

H500 RADIATORS



500mm high panels are taller and less wide - ideal for rooms where wall space is at a premium

MODEL	SKU	WATTS	AMPS	HEIGHT (MM)	LENGTH (MM)	WEIGHT (KG)
500W / H500 x L400 / Double	FE4210500401A4U0	500	2.2	500	400	16.3
750W / H500 x L500 / Double	FE4210500501A4U0	750	3.3	500	500	19.1
1000W / H500 x L650 / Double	FE4210500651A4U0	1000	4.3	500	650	24.2
1250W / H500 x L800 / Double	FE4210500801A4U0	1250	5.4	500	1000	27.9
1500W / H500 x L950 / Double	FE4210500951A4U0	1500	6.5	500	950	35.0
2000W / H500 x L1250 / Double	FE4210501251A4U0	2000	8.7	500	1250	43.8

Plus Series Specifications

MATERIAL	Made from cold rolled, fully recyclable steel of the highest quality. Filled with non-toxic, biodegradable vegetable oil
COLOUR	Hard-wearing white epoxy paint (RAL 9016).
CHILD SAFETY	Control panel with child lock function Max radiator surface temperature can be lowered to 75°C or 60°C (will result in reduction of maximum heat output).
INCLUDED IN PACKAGE	Monclac wall brackets and screws for fixed installation
PANEL OPTIONS	Single (11), Double (21)
SPLASH RATING	IP44 when installed with wallbox splash cover (required for compliance)
WARRANTY	10 years warranty on radiator body 2 years warranty on electronics
THERMOSTAT FEATURES	Advanced digital thermostat with precision temperature control. Central control by smartphone when combined with Unisenza+ Smart Gateway and Purmo Unisenza App Weekly program can be individually adjusted in each radiator. Adaptive start with timer function. Open window function.

Optional Accessories



UNISENZA+ SMART HOME GATEWAY

Connect the gateway to your Wi-Fi router and enjoy full central control of your radiators via th new Unisenza+ smartphone app, Google Home or Amazon Alexa. You can configure zones, set schedules and monitor your energy usage.



RADIATOR HARDWIRING KIT

This kit simplifies the process of professionally hardwiring radiators. An electrician mounts the wall box behind the radiator and wires it through the wall. Features a splash guard to preserve the radiator's IP44 rating, and a replacement plug for connecting the radiator the wall box.



90° DEGREE DISPLAY ADAPTOR

The 90° Adaptor allows the display to be rotated by 90 degrees on Plus Series radiators. This makes it possible to turn the display so that it faces forward, a handy accessory for installations near walls.



RADIATOR DRYING BAR

Simplify laundry days with our Radiator Drying Bar. Compatible with our Plus Series and Kaba radiators. The steel bar easily clips onto your radiator, adding a convenient rail for quick drying of clothes and towels. Available in 3 lengths with adjustable brackets.

Panel Configurations


Plus Series radiators are available in double and single panel configurations

SINGLE PANEL RADIATORS

These have a slim design (95mm depth from wall), due to having single oil-filled panel, and a convection plate at the back. They're great for areas where space it at a premium, such as hallways, bathrooms or under desks.

DOUBLE PANEL RADIATORS


These have a second oil-filled panel instead of a convection plate. They're 16mm thicker than single panel radiators (111mm depth from wall). This allows you to fit more heating capacity in less wall space, ideal for rooms with more demanding heating needs.



Installation

Installation of Plus Series electric radiators is simple

- Two brackets are screwed into the wall. Bracket design varies based on the selected model. (FIGURE A)
- For plaster walls, brackets should be screwed into a stud due to the weight of the radiators.
- The radiator is placed onto the bracket feet. (FIGURE B)
- The top clip is then clicked into place along the radiator top grill (FIGURE C) and tightened with an Allen key.
- Brackets can be secured at any point along the length of the radiator, provided the radiator is appropriately balanced.







Solutions for Every Space

With 14 different sizes - there's a Purmo Plus radiator that's right for every space. Start simple with one or two radiators, or fit out your whole home.


The choice is yours.




250W / H300 x L400 / Single




500W / H300 x L800 / Single




1500W / H300 x L1600 / Double




750W / H300 x L800 / Double




1250W / H300 x L1300 / Double




500W / H300 x L500 / Double




2000W / H300 x L2000 / Double




1000W / H300 x L1000 / Double




500W / H500 x L400 / Double




1000W / H500 x L650 / Double




2000W / H500 x L1250 / Double



750W / H500 x L500 / Double



1250W / H500 x L800 / Double



1500W / H500 x L950 / Double