

FAN



F A R O
BARCELONA

Official Distributor

 THERMOSOFT
AUSTRALIA



KLIM



Klim 150cm
16



Klim 125cm
18



Klim 92cm
20

HEYWOOD



Heywood 132cm
22



Heywood 90cm
24



Heywood Tub 132cm
26



Heywood Tub 90cm
28

PUNT



Punt 130cm
30



Punt Tub 130cm
32



Mini Punt 90cm
34



Mini Punt Tub 90cm
36




CEILING FANS FROM FARO BARCELONA

Discover year-round comfort and quiet style with FARO Barcelona ceiling fans. At Thermosoft Australia, we offer a handpicked range of European fans designed for whisper-quiet performance, clean lines, and long-term energy savings.

Engineered in Barcelona by ventilation experts with over 40 years of experience, FARO fans are built from FSC-certified timber and recyclable parts. They're a smarter, more sustainable alternative to air conditioning — saving up to 92% in energy use.

With reversible modes for summer and winter, and optional smart control, these fans bring flexible comfort to any room. Trusted by leading hotels and backed by a 15-year motor warranty, FARO is comfort you can count on, all year round.



DESIGNED & ENGINEERED

Each Faro ceiling fan is designed and made by a team of ventilation experts and designers. Every detail is considered - from compact, quiet motors to a clean silhouette with minimal gaps between parts. Select models use FSC-certified timber, adding natural warmth with responsibly sourced materials. The result: European craftsmanship that brings lasting comfort and quiet confidence to your space.

BUILT TO LAST



We adjust fan speeds
to suit your needs



Control your fan the
way you want



Our fans operate
worldwide



We customize your fan's settings

With over 40 years of experience, Faro Barcelona ceiling fans are made to meet high standards for performance, balance, and safety. Every fan is tested twice - once at the factory, then again at the specialist lab in Barcelona, to ensure exceptional performance and safety. And with a 15-year motor warranty, you're backed for the long run.



BUILT TO FIT ANYWHERE

From compact rooms to large open-plan spaces, Faro ceiling fans are made to suit a range of ceiling types, heights and styles. With adaptable downrods or tubs (compact style), they install easily on flat, angled and low or high ceilings.



LOW ENERGY BIG IMPACT

With DC motors and using as little energy as an LED light bulb, Faro ceiling fans are a smarter alternative to air conditioning. Winter mode can help reduce heating costs by up to 15 per cent. It's a sustainable comfort solution for your home and the planet. It's a sustainable comfort solution for your home and the planet, made from recyclable materials and FSC-certified timber.

SMART HOME INTEGRATION (OR NOT). IT'S YOUR CHOICE

Download app



With two options on all fan models, standard control or built-in Tuya smart technology, the choice is yours.

For smart home integration control, purchase the with Tuya models to which enable control from your phone or via a voice assistant. Prefer to keep it simple? The included remote still gives you options.



Options & Accessories



Downrod Compatible
page 42



Optional Light kit
page 40



Wall Mount Controller
page 38




Tuya App Option
page 14



Included Remote
page 39

Klim 150cm



Black with Walnut / Timber Blades

Models
34276 - No App Control
34276WT - With Tuya App Control




White with Pine / Timber Blades

Models
34279 - No App Control
34279WT - With Tuya App Control



Black with Pine / Timber Blades

Models
34282 - No App Control
34282WT - With Tuya App Control



A	A1	B	C	D
336/13.23"	212/8.35"	48/1.89"	100/3.94"	60/2.4"
E	F	G	Downrod L	Downrod ø
130/5.12"	ø1500/59.1"	745/29.33"	100/3.94"	26/1.02"

Structure Material	Steel
Motor Type	DC
Fan Power (W)	5-7-11-17-24-35
RPM	67-88-106-122-140-159
Airflow (m³/min)	62-88-114-130-147-168
Airflow (CFM)	2215-3121-4050-4592-5208-5985
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	Yes
Maximum Tilt (°)	12
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	26



Options & Accessories



Downrod Compatible
page 42



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Klim 125cm





13-17 M2
140-190 SQ.FT

DC

MOTOR



SUMMER
WINTER



SLOPED
CEILING

Black with Walnut / Timber Blades


Models
34277 - No App Control
34277WT - With Tuya App Control

White with Pine / Timber Blades

Models
34280 - No App Control
34280WT - With Tuya App Control

Black with Pine / Timber Blades

Models
34283 - No App Control
34283WT - With Tuya App Control



A	A1	B	C	D
336/13.23"	212/8.35"	48/1.89"	100/3.94"	60/2.4"
E	F	G	Downrod L	Downrod ø
130/5.12"	ø1250/49.2"	620/24.41"	100/3.94"	26/1.02"

Structure Material	Steel
Motor Type	DC
Fan Power (W)	5-7-11-17-24-35
RPM	90-119-144-170-192-220
Airflow (m³/min)	58-91-111-130-148-166
Airflow (CFM)	2051-3225-3915-4610-5219-5878
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	Yes
Maximum Tilt (°)	12
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	26



Options & Accessories



Downrod Compatible
page 42



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Klim 92cm

Black with Walnut / Timber Blades


Models
34278 - No App Control
34278WT - With Tuya App Control

White with Pine / Timber Blades



Models
34281 - No App Control
34281WT - With Tuya App Control

Black with Pine / Timber Blades

Models
34284 - No App Control
34284WT - With Tuya App Control



A	A1	B	C	D
336/13.23"	212/8.35"	48/1.89"	100/3.94"	60/2.4"
E	F	G	Downrod L	Downrod ø
130/5.12"	ø925/36.4"	458/18.03"	100/3.94"	26/1.02"



Structure Material	Steel
Motor Type	DC
Fan Power (W)	6-7-10-14-20-28
RPM	153-192-226-259-302-348
Airflow (m³/min)	43-64-85-113-116-135
Airflow (CFM)	1539-2280-3012-4005-4116-4783
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	Yes
Maximum Tilt (°)	12
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	26



Options & Accessories



Downrod Compatible
page 42



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Heywood 132cm



> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR



SUMMER
WINTER



SLOPED
CEILING


Black with Walnut / Timber Blades

Models
33809 - No App Control
33809WT - With Tuya App Control



White with Pine / Timber Blades

Models
33810 - No App Control
33810WT - With Tuya App Control



A	A1	B	C	D
243/9.57"	223/8.78"	82/3.23"	100/3.94"	59/2.3"
E	F	G	Downrod L	Downrod ø
132/5.2"	ø1320/52"	592/23.31"	101/3.98"	26/1.02"

Structure Material	Steel
Motor Type	DC
Fan Power (W)	4-5-7-13-22-32
RPM	58-75-94-124-152-173
Airflow (m³/min)	55-71-96-119-151-174
Airflow (CFM)	1983-2557-3447-4269-5397-6234
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	Yes
Maximum Tilt (°)	12
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	26



Options & Accessories



Downrod Compatible
page 42



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Heywood 90cm



< 13 M2
< 140 SQ.FT

DC
MOTOR



SUMMER
WINTER



SLOPED
CEILING


Black with Walnut / Timber Blades

Models
33806 - No App Control
33806WT - With Tuya App Control



White with Pine / Timber Blades

Models
33805 - No App Control
33805WT - With Tuya App Control



A	A1	B	C	D
243/9.57"	223/8.78"	82/3.23"	100/3.94"	59/2.3"
E	F	G	Downrod L	Downrod ø
132/5.2"	ø900/35.4"	387/15.24"	100/3.94"	26/1.02"

Structure Material	Steel
Motor Type	DC
Fan Power (W)	4-7-10-16-22-30
RPM	110-162-197-238-267-300
Airflow (m³/min)	54-77-89-108-125-148
Airflow (CFM)	1904-2699-3129-3820-4403-5201
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	Yes
Maximum Tilt (°)	12
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	26



Options & Accessories



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Heywood Tub 132cm



> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR



SUMMER
WINTER



SLOPED
CEILING


Black with Walnut / Timber Blades

Models
33839 - No App Control
33839WT - With Tuya App Control



White with Pine / Timber Blades

Models
33838 - No App Control
33838WT - With Tuya App Control



A	A1	B	C	D
243/9.57"	223/8.78"	82/3.23"	100/3.94"	59/2.3"
E	F	G	Downrod L	Downrod ø
132/5.2"	ø1320/52"	592/23.31"	101/3.98"	26/1.02"

Structure Material	Aluminium
Motor Type	DC
Fan Power (W)	4-5-8-13-23-32
RPM	58-75-94-124-152-173
Airflow (m³/min)	55-71-96-119-151-174
Airflow (CFM)	1983-2557-3447-4269-5397-6234
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	No
Maximum Tilt (°)	0
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	Not available



Options & Accessories



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Heywood Tub 90cm














Black with Walnut / Timber Blades

Models
33837 - No App Control
33837WT - With Tuya App Control



White with Pine / Timber Blades

Models
33836 - No App Control
33836WT - With Tuya App Control



A	A1	C	D
190/7.48"	151/5.94"	130/5.12"	151/5.9"
E	F	G	
120/4.72"	ø900/35.4"	371/14.61"	

Structure Material	Aluminium
Motor Type	DC
Fan Power (W)	4-7-10-16-22-30
RPM	110-162-197-238-267-300
Airflow (m³/min)	54-77-89-108-125-148
Airflow (CFM)	1904-2699-3129-3820-4403-5201
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	No
Maximum Tilt (°)	0
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	Not available



Options & Accessories



Downrod Compatible
page 42



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Punt 130cm

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

DIM


SUMMER
WINTER

SLOPED
CEILING

White / ABS Blades
Models
33814 - No App Control
33814WT - With Tuya App Control

White with Maple / ABS Blades
Models
33816 - No App Control
33816WT - With Tuya App Control

Black / ABS Blades
Models
33815 - No App Control
33815WT - With Tuya App Control



A	A1	B	C	D
254/10"	190/7.48"	93/3.66"	150/5.91"	60/2.4"
E	F	G	Downrod L	Downrod ø
130/5.12"	ø1300/51.2"	510/20.08"	100/3.94"	26/1.02"

Structure Material	ABS
Motor Type	DC
Fan Power (W)	5-7-9-13-19-28
RPM	90-115-135-158-185-210
Airflow (m³/min)	80-102-125-143-165-177
Airflow (CFM)	2877-3662-4485-5118-5924-6318
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	Yes
Maximum Tilt (°)	12
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	26



Options & Accessories



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Punt Tub 130cm

> 17,6-28 M2
190-300 SQ.FT

DC

MOTOR

DIM

SUMMER
WINTER

EASY
INSTALL


White / ABS Blades
Models
33828 - No App Control
33828WT - With Tuya App Control



White with Maple / ABS Blades
Models
33829 - No App Control
33829WT - With Tuya App Control



Black / ABS Blades
Models
33830 - No App Control
33830WT - With Tuya App Control



A	A1	C	D
207/8.15"	145/5.71"	156/6.14"	145/5.7"
E	F	G	
120/4.72"	ø1300/51.2"	640/25.2"	

Structure Material	ABS
Motor Type	DC
Fan Power (W)	5-7-9-13-19-28
RPM	90-115-135-158-185-210
Airflow (m³/min)	80-102-125-143-165-177
Airflow (CFM)	2877-3662-4485-5118-5924-6318
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	No
Maximum Tilt (°)	0
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	Not available



Options & Accessories



Downrod Compatible
page 42



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Mini Punt 90cm

< 13 M2
< 140 SQ.FT

DC

MOTOR


SUMMER
WINTER

SLOPED
CEILING

White / ABS Blades
Models
33820 - No App Control
33820WT - With Tuya App Control

White with Maple / ABS Blades
Models
33821 - No App Control
33821WT - With Tuya App Control

Black / ABS Blades
Models
33822 - No App Control
33822WT - With Tuya App Control



A	A1	B	C	D
235/9.25"	173/6.81"	77/3.03"	120/4.72"	60/2.4"
E	F	G	Downrod L	Downrod ø
130/5.12"	ø900/35.4"	441/17.36"	100/3.94"	26/1.02"

Structure Material	ABS
Motor Type	DC
Fan Power (W)	3-5-7-12-18-26
RPM	113-150-195-244-286-327
Airflow (m³/min)	41-53-80-108-126-141
Airflow (CFM)	1464-1899-2829-3820-4463-4997
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	Yes
Maximum Tilt (°)	12
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	26



Options & Accessories



Optional Light kit
page 40



Wall Mount Controller
page 38



Tuya App Option
page 14



Included Remote
page 39

Mini Punt Tub 90cm

< 13 M2
< 140 SQ.FT

DC

MOTOR

SUMMER
WINTER

EASY
INSTALL


White / ABS Blades
Models
33832 - No App Control
33832WT - With Tuya App Control



White with Maple / ABS Blades
Models
33833 No App Control
33833WT - With Tuya App Control



Black / ABS Blades
Models
33834 - No App Control
33834WT - With Tuya App Control




A	A1	C	D
203/7.99"	142/5.59"	124/4.88"	142/5.6"
E	F	G	
112/4.41"	ø900/35.4"	441/17.36"	

Structure Material	ABS
Motor Type	DC
Fan Power (W)	3-5-7-12-18-26
RPM	113-150-195-244-286-327
Airflow (m³/min)	41-53-80-108-126-141
Airflow (CFM)	1464-1899-2829-3820-4463-4997
Blades	3
Reverse Function	Yes
Suitable for Sloped Ceilings	No
Maximum Tilt (°)	0
Type of Control Included	Remote control with timer
Smart Control Option	Available only on the Tuya-enabled model (with Tuya App and voice control via Alexa or Google Home).
Fan Programming Hours	1-4-8H
Rod Diameter (mm)	Not available

DC WALL CONTROLLER
WITH DIMMER


This new wall control for DC motor fans features an updated front design, supports a light dimming function, and connects wirelessly to the fan via radio-frequency. It is hard-wired into the wall and fits standard recessed boxes, whether round or square.



Ref. 33988
Front Glossy Black
Body Matt Black



Ref. 33987
Front Glossy White
Body Matt White



			Class	I
			IP	20
			Voltage	100V-240V
			Hertz	50/60Hz
			Flush-mount box	No
			Material	ABS + Glass
33987		Gloss White		
33988		Gloss Black		

ONE CONTROL
FOR ALL

This new remote control incorporates several memory options, that is to say, the fan will be able to remember certain configuration types: light memory, fan memory, confirmation sound and keypad lock. This allows for greater customization.



Compatible with all DC wall controller



The light and fan memory, sound confirmation block, and keypad lock come deactivated by default, so if you wish to activate them, you will need to follow the steps below. If you have activated them and want to revert it, you can follow the same steps.

- 1 After its installation and complete assembly, cut off the power to the fan for at least 10 seconds.
- 2 Insert the batteries into the remote control.
- 3 Reconnect the fan to the power. The receiver will be active for synchronization only during the 30 seconds after reconnecting the power.

- 4 Press and hold the following button, depending on the configuration you need, until a continuous beep of about 2 seconds is heard.
BUTTON 1: Light kit memory: the fan will remember the last configuration.
BUTTON 3: Confirmation sound block: it will avoid hearing any “beeps” when using the fan.
BUTTON 4: Keypad lock: you can lock the keypad, except for the on/off button. Ideal for hotels and homes with children.
BUTTON 6: Fan memory: the fan will remember the last configuration once it is turned on, including speed, reverse and breeze modes.

*Special configurations

34303		Matt White	34304		Matt Black

OPTIONAL LIGHT KIT

Klim



Light Source	1 E27 LED max.
Bulb incl.	No
Recom. Bulb	17485
Material Diff.	Glass

Heywood
Heywood Tub



Power	10W
Temperature	3000/ 4200/ 6500K
Light Source	SMD LED
CRI	>80
Material Diff.	PP

Punt
Punt Tub



Power	18W
Temperature	3000/ 4200/ 6500K
Light Source	SMD LED
CRI	>80
Material Diff.	Glass


Mini Punt
Mini Punt Tub



Power	10W
Temperature	2700/ 4000/ 6000K
Light Source	SMD LED
CRI	85
Material Diff.	Glass



OPTIONAL DOWNROD





(A) or (AL) – (TI) + (TO) = (AR)

- (A) Total height fan no light
- (AL) Total height fan with light
- (TI) Included downrod length
- (TO) Optional downrod length
- (AR) Total height with optional downrod

Example

250mm - 100mm + 400mm= 550mm / 10" - 4" + 16"= 22"



3T022300

Length Diameter Finish Downrod Model

Example

Total fan height

With included downrod (mm/in)	
100/3,94"	480/18,9"
200/7,87"	580/22,83"
With optional downrod (mm/in)	
wire included	580/22,83"
	680/26,77"
	780/30,71"
	880/34,65"
	980/38,58"
	1080/42,52"
	1180/46,46"
	1280/50,39"
	1380/54,33"
	1580/62,2"
	1880/74,02"

Reference code

Family	Downrod Length (mm/in)	Diameter (mm/in)	Finish	Downrod Model
3T	02 200/7,87"	2 26/1,02"	1 White	00 Universal 26mm
	03 300/11,81"		2 Black	
	04 400/15,74"			
	05 500/19,68"			
	06 600/23,62"			
	07 700/27,55"			
	08 800/31,49"			
	09 900/35,43"			
	10 1000/39,37"			
	12 1200/47,24"			
	15 1500/59,05"			
	18 1800/70,87"			

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

OPTIONAL
DOWNROD

Heywood

Total fan height			Reference code								
With included downrod (mm/in)			Family	Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"	243/9,57"	270/10,63"									
With optional downrod (mm/in)			3T	02	200/7,87"	2	26/1,02"	1	White	00	Universal 26mm
wire included		03		300/11,81"	2		Black				
543/21,38"		04		400/15,74"							
643/25,31"		05		500/19,68"							
743/29,25"		06		600/23,62"							
843/33,19"		07		700/27,55"							
943/37,13"		08		800/31,49"							
1043/41,06"		09		900/35,43"							
1143/45"		10		1000/39,37"							
1343/52,87"		12		1200/47,24"							
1643/64,69"		15		1500/59,05"							
1943/76,5"		18		1800/70,87"							

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Klim

Total fan height			Reference code									
With included downrod (mm/in)		With Light	Family	Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model		
100/3,94"	336/13,23"	408/16,06"										
With optional downrod (mm/in) wire included	436/17,17"	508/20"	3T	02	200/7,87"	2	26/1,02"	1	White	00	Universal 26mm	
	536/21,1"	608/23,94"		03	300/11,81"			2	Black			
	636/25,04"	708/27,87"		04	400/15,74"							
	736/28,98"	808/31,81"		05	500/19,68"							
	836/32,91"	908/35,75"		06	600/23,62"							
	936/36,85"	1008/39,69"		07	700/27,55"							
	1036/40,79"	1108/43,62"		08	800/31,49"							
	1136/44,72"	1208/47,56"		09	900/35,43"							
	1236/48,66"	1308/51,5"		10	1000/39,37"							
	1436/56,54"	1508/59,37"		12	1200/47,24"							
	1736/68,35"	1808/71,18"		15	1500/59,05"							
	2036/80,16"	2108/82,99"		18	1800/70,87"							

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Punt M

Total fan height			Reference code									
With included downrod (mm/in)		With light	Family	Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model		
100/3,94"	254/10"	277/10,91"										
With optional downrod (mm/in) wire included	354/13,94"	377/14,84"	3T	02	200/7,87"	2	26/1,02"	1	White	00	Universal 26mm	
	454/17,87"	477/18,78"		03	300/11,81"			2	Black			
	554/21,81"	577/22,72"		04	400/15,74"							
	654/25,75"	677/26,65"		05	500/19,68"							
	754/29,69"	777/30,59"		06	600/23,62"							
	854/33,62"	877/34,53"		07	700/27,55"							
	954/37,56"	977/38,46"		08	800/31,49"							
	1054/41,5"	1077/42,4"		09	900/35,43"							
	1154/45,43"	1177/46,34"		10	1000/39,37"							
	1354/53,31"	1377/54,21"		12	1200/47,24"							
	1654/65,12"	1677/66,02"		15	1500/59,05"							
	1954/76,93"	1977/77,83"		18	1800/70,87"							

Example: 3T062100 Accessory downrod 600mm Ø26 white universal

Mini Punt S

Total fan height			Reference code								
With included downrod (mm/in)		With light	Family	Downrod Length (mm/in)		Diameter (mm/in)		Finish		Downrod Model	
100/3,94"	235/9,25"	263/10,35"									
With optional downrod (mm/in) wire included	335/13,19"	363/14,29"	3T	02	200/7,87"	2	26/1,02"	1	White	00	Universal 26mm
	435/17,13"	463/18,23"		03	300/11,81"			2	Black		
	535/21,06"	563/22,17"		04	400/15,74"						
	635/25"	663/26,1"		05	500/19,68"						
	735/28,94"	763/30,04"		06	600/23,62"						
	835/32,87"	863/33,98"		07	700/27,55"						
	935/36,81"	963/37,91"		08	800/31,49"						
	1035/40,75"	1063/41,85"		09	900/35,43"						
	1135/44,69"	1163/45,79"		10	1000/39,37"						
	1335/52,56"	1363/53,66"		12	1200/47,24"						
	1635/64,37"	1663/65,47"		15	1500/59,05"						
	1935/76,18"	1963/77,28"		18	1800/70,87"						

Example: 3T062100 Accessory downrod 600mm Ø26 white universal




About Us

For more than 20 years, Thermosoft Australia has been helping Australians enjoy comfortable, stylish, and sustainable homes. We started by leading the switch to more efficient electric heating with our range of radiators, showing people they did not need to sacrifice warmth or design to move away from gas.

Today, our mission is bigger. We are committed to accelerating Australia's all-electric future by offering solutions that deliver comfort year-round. That's why, alongside our trusted electric radiators and towel rails, we now offer Faro Barcelona ceiling fans, designed for quiet performance, beautiful design, and energy saving.

We continue to do what we have always done best; offer brilliant products supported by friendly, old-fashioned service. Whether it's keeping you warm in winter or cool in summer, we're here to make comfort simple.



Logistics Headquarters

Dinámica 1 Pol. Ind. Santa Rita
08755 Castellbisbal
Spain
Tel +34937723949
info@faro.es

Logistics China

Room 1706-05, Glory International
Finance Center
25 Guicheng Road, Nanhai District
Foshan, Guangdong Province

Logistics US

135 West 41nd Street Suite 1002
10036 New York
USA



Thermosoft Australia - Richmond Showroom

159 Barkly Avenue
Burnley, VIC 3121
Australia
1800 951 439
info@thermosoftaustralia.com.au

TAKE YOUR ROLE.
TOGETHER, WE'RE
COMMITTED